

L Number	Hits	Search Text	DB	Time stamp
-	119	bridge same bus\$4 same different same communication same protocol\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:16
-	186139	(LIP (layered adj3 bridge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 12:22
-	26	(layered adj3 bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 12:22
-	670	layered adj3 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 12:25
-	5	(layered adj3 protocol) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 12:33
-	54	isolat\$3 same fault\$1 same disabl\$3 same reset\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:23
-	3	isolat\$3 with fault\$1 with disabl\$3 with reset\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:08
-	4500	signal with reset\$4 with disabl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:23
-	2	(signal with reset\$4 with disabl\$3) same (isolat\$3 near3 fault\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:25
-	6	(signal with reset\$4 with disabl\$3) same (isolat\$3 with fault\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:25
-	0	(reset\$4 same disabl\$4) same bridge same (fault with isolat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:28
-	11	((reset\$3 with disabl\$3) near3 signal\$3) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:38
-	1299	((reset\$3 with disabl\$3) near3 signal\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:38

-	577	((reset\$3 with disabl\$3) adj3 signal\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:40
-	0	((reset\$3 with disabl\$3) adj3 signal\$3) same (fault with isolat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:39
-	4	((reset\$3 with disabl\$3) adj3 signal\$3) with fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:39
-	8	((reset\$3 with disabl\$3) adj3 signal\$3) same fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:40
-	17	((reset\$3 with disabl\$3) adj3 signal\$3) same (failure fault)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:41
-	23	((reset\$3 with disabl\$3) adj3 signal\$3) same (failure fault isolat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:41
-	0	(isolat\$3 near3 (error fault\$1 failure\$1)) same ((reset\$3 with disabl\$3) with bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:55
-	8245	(isolat\$3 near3 (error fault\$1 failure\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:55
-	0	(isolat\$3 near3 (error fault\$1 failure\$1)) same ((reset\$3 with disabl\$3) with bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:57
-	8	(isolat\$3 near3 (error fault\$1 failure\$1)) same ((reset\$3 with disabl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:56
-	7	(isolat\$3 near3 (error fault\$1 failure\$1)) same (redundant same bridge\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:58
-	25	redundant adj bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:16
-	1052	bridge same redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:20

-	416	bridge with redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:20
-	88	(bridge with redundan\$3) same (fault failure error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 11:21
-	0	(fault adj torelant) same ((reset same disabl\$3) adj3 (command signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 12:46
-	1	(fault adj tolerant) same ((reset same disabl\$3) adj3 (command signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 12:47
-	29	(fault adj tolerant) same ((reset disabl\$3) adj3 (command signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 12:47
-	30	(fault adj tolerant) same ((reset\$4 disabl\$3) adj3 (command signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 12:48
-	220	(fault adj tolerant) same (isolat\$3 with (fault failure error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 12:50
-	12	(fault adj tolerant) same (isolat\$3 with (fault failure error)) same disabl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 12:50
-	4799	(plural plurality multiple) adj3 bridge\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:02
-	39	((plural plurality multiple) adj3 bridge\$1) same fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:06
-	68	((plural plurality multiple) adj3 bridge\$1) same (failure error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:06
-	451	dual adj3 bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:24
-	581	redundan\$3 with bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:25

-	114	redundan\$3 adj3 bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:25
-	158	failure adj remed\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:48
-	399	bridge same duplicate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:00
-	66	duplicat\$3 adj bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:02
-	0	torelant with bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:02
-	92	tolerant with bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:02
-	33	(fault adj tolerant) adj3 bridg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:24
-	54	isolat\$3 same fault\$1 same reset\$4 same disabl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 15:28
-	90	partner\$3 adj signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:00
-	13	(partner\$3 adj signal\$1) and bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:01
-	42	isolat\$3 same fault same reset\$4 same disabl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:25
-	7751	isolat\$3 same fault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:25
-	107	(isolat\$3 same fault) same redundan\$3 same (device\$1 bridge\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:25

-	0	(isolat\$3 same fault) same (redundan\$3 adj (device\$1 bridge\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:26
-	0	(reset adj command) same (master adj3 device) same (clear\$3 with error\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 10:57
-	1	(reset adj command) same ((host master) adj3 device) same (clear\$3 with error\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:00
-	0	(reset adj command) same (host master) same (clear\$3 with error\$1) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:01
-	3	reset same (host master) same (clear\$3 with error\$1) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:02
-	14	(reset adj command) with clear\$3 with (error\$1 fault\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 11:20
-	537	(CRC with compar\$3) same redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 13:49
-	9	redundant adj3 CRC adj3 calculat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 13:46
-	1085	CRC near3 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 13:50
-	1	(CRC near3 compar\$3) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 13:50
-	38	(CRC near3 compar\$3) and (bus same bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 13:50
-	62	compar\$3 same data same (different adj3 route\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:15
-	11	ultra adj reliability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:18

-	422	(high adj reliability) same (data adj transmission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:35
-	9	(high adj reliability) same (data adj transmission) same (compar\$3 with (data message packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:41
-	8	((high adj reliability) same (data adj transmission) same (compar\$3 with (data message packet))) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:51
-	9	(high adj reliability) same (data adj transmission) same (compar\$3 with (data message\$1 packet\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:41
-	20	(high adj reliability) same (data adj transmission) same redundan\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:49
-	0	ensure adj data adj integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:51
-	761	ensure adj data adj integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:51
-	1091	ensur\$3 adj1 data adj1 integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:51
-	77	(ensur\$3 adj1 data adj1 integrity) same redundan\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:51
-	1078	compar\$3 adj received adj (message packet data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:01
-	7	(compar\$3 adj received adj (message packet data)) same reliability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:02
-	0	(compar\$3 adj received adj (message packet data)) same redundan\$3 same reliability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:02
-	32	(compar\$3 adj3 (message packet data)) same redundan\$3 same reliability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:02